



tel. 081 257 24 15
fax 081 257 21 49

Planaterrastrasse 11
e-mail: info@alt.gr.ch

7001 Cuira

Questiunari per l'analisa da l'aua da baiver

Per plaschiar emplenir il formular cumplettamain ed al trametter ensemes cun las provas a l'adressa qua survart (vesair er pagina davos). Las provas ston vegnir annunziadas almain 24 uras ordavant (tel. 081 257 24 15). Provas microbiologicas pon vegnir acceptadas mintgamai mo da glindesdi fin gievgia.
Ultim termin: gievgia, a las 14.00

1) Adressa dal manaschi

.....
.....
.....

3) Adressa da quint

.....
.....
.....

2) Adressa da correspundenza

.....
.....
.....

4) Copia a

.....
.....
.....

data

uras

temperatura aria

Datas prova:

°C

nagini u mo paucas
precipitaziuns

precipitaziuns
mesaunas

fermas
precipitaziuns

Aura durant l'ultim temp:
(P.pl. segnar mo ina giada)

Ultima precipitaziun il(s):

vischnanca

corporaziun

privat

provediment
singul

manaschi public

Provediment d'aua per:
(P.pl. segnar mo ina giada)

controlla da
rutina

controlla
posteriura

funtauna
betg

Motiv per l'analisa:
(P.pl. segnar mo ina giada)

auters:

Suttascripziun controllader/-dra: Controllader/-dra (bustabs da stampa):

Telefon controllader/-dra: Persuna responsabla per il manaschi (bustabs da stampa):

Indicaziuns tar las provas 1 fin 5

Vischnanca/fracziun	Lieu da la prelevaziun (+ nr. BDTA en cas da possessur(a)s d'animals)	Numer da la buttiglia		Aua il mument da la prova		Duvrà l'aua?		Betg emplenir ils champs grischs!	
		microbiologia 0.33 liters	chemia 1 liter	°C	aspect	gea	na	numer da la prova	
1						<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/> F <input type="checkbox"/> N <input type="checkbox"/> G <input type="checkbox"/> R _E <input type="checkbox"/> R _A <input type="checkbox"/> UV _v <input type="checkbox"/> UV _n <input type="checkbox"/> B _v <input type="checkbox"/> B _n		P.pl. far ina crusch tar quai ch'è il cas!	Coordinatas:				Meters sur mar:		
2						<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/> F <input type="checkbox"/> N <input type="checkbox"/> G <input type="checkbox"/> R _E <input type="checkbox"/> R _A <input type="checkbox"/> UV _v <input type="checkbox"/> UV _n <input type="checkbox"/> B _v <input type="checkbox"/> B _n	P.pl. far ina crusch tar quai ch'è il cas!	Coordinatas:				Meters sur mar:			
3						<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/> F <input type="checkbox"/> N <input type="checkbox"/> G <input type="checkbox"/> R _E <input type="checkbox"/> R _A <input type="checkbox"/> UV _v <input type="checkbox"/> UV _n <input type="checkbox"/> B _v <input type="checkbox"/> B _n	P.pl. far ina crusch tar quai ch'è il cas!	Coordinatas:				Meters sur mar:			
4						<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/> F <input type="checkbox"/> N <input type="checkbox"/> G <input type="checkbox"/> R _E <input type="checkbox"/> R _A <input type="checkbox"/> UV _v <input type="checkbox"/> UV _n <input type="checkbox"/> B _v <input type="checkbox"/> B _n	P.pl. far ina crusch tar quai ch'è il cas!	Coordinatas:				Meters sur mar:			
5						<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/> F <input type="checkbox"/> N <input type="checkbox"/> G <input type="checkbox"/> R _E <input type="checkbox"/> R _A <input type="checkbox"/> UV _v <input type="checkbox"/> UV _n <input type="checkbox"/> B _v <input type="checkbox"/> B _n	P.pl. far ina crusch tar quai ch'è il cas!	Coordinatas:				Meters sur mar:			
Scursanidas duvradas: F a l'enchaeschament R _E reservuar entrada R _A reservuar sortida N a la rait da distribuziun UV _v avant l'implant dad UV UV _n suenter l'implant dad UV G aua sutterrana B _v avant il tractament (auters) B _n suenter il tractament				P.pl. inditgar la controlla giavischada:				Entrada da la prova: Data / uras	
				<input type="checkbox"/> direzza	<input type="checkbox"/> obligaziun d'infurmaz	<input type="checkbox"/> privat	<input type="checkbox"/> per posta		
				<input type="checkbox"/> agressivitat	<input type="checkbox"/> analisa „chemica pitschna“	<input type="checkbox"/> uffizial	<input type="checkbox"/> personalmain		
				<input type="checkbox"/> microbiologia	<input type="checkbox"/> tras l'incumbensader/-dra				
								<input type="checkbox"/> tras	
Remartgas e cumplettaziuns controllader/-dra:				Agiuntas:				Temperatura il mument da l'entrada da la prova: <input type="checkbox"/> betg sfradentada <input type="checkbox"/> sfradentada	